



Jangro Limited  
James House  
Worsley Road  
Farnworth  
Bolton  
BL4 9NL

Tel. 0845 458 5223

## PRODUCT SAFETY DATA SHEET

### 1 IDENTIFICATION OF PREPARATION AND THE SUPPLIER

Trade Name: ABSORBENT ROLLS – GENERAL PURPOSE  
Supplier: Jangro Limited, as above  
Emergency: 01480 890104

### 2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	EINECS No.	CAS No.	% Range	Symbol	Risk Phrase

Does not contain hazardous ingredients.

### 3 HAZARDS IDENTIFICATION

Hazardous Symbols: None  
Risk & Safety: Not considered a health hazard under current legislation (The CHIP Regulations 1994).

### 4 FIRST AID MEASURES

Eyes: Promptly wash eyes with eye wash solution or plenty of water. Seek medical attention if any discomfort continues.  
Skin: None.  
Ingestion: Unlikely to be required but if necessary, treat symptomatically. Seek medical attention.  
Inhalation: N/A

### 5 FIRE FIGHTING MEASURES

Extinguishing Media: Water, foam, Carbon Dioxide, dry Chemical or Inert Material – Sand, Earth etc. Use water spray to cool containers. Prevent runoff from fire control entering waterways.  
Protective Measures in fire: Breathing apparatus should be worn. Wear fire retardant clothing and eye protection.  
Fire & Explosion Hazards: Carbon Dioxide, Carbon Monoxide and Smoke – Do not breathe decomposition products and fumes. Will burn when exposed to open flame and incandescent heat. Fine dust clouds may be flammable.

### 6 ACCIDENTAL RELEASE MEASURES

Spill Cleanup Measures: clean up and discard with good housekeeping. Avoid dry sweeping, vacuum may be used.  
Environmental Precautions: Dispose of according to local bye-laws and regulations.

### 7 HANDLING AND STORAGE

Handling: Maintain high standards of housekeeping.  
Storage: Store away from oxidizing materials and in a dry area.

### 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

N/A

**9      PHYSICAL AND CHEMICAL PROPERTIES**

Physical Form:            Melt brown polypropylene fibre.  
Colour:                    Grey  
Odour:                     None  
Use:                        For absorbing fluids.  
Ph:                         N/A  
Relative Density:        N/A  
Flammability:            Non Flammable  
Vapour Pressure:        N/A  
Solubility:                Insoluble in water  
Oxidising Properties:    None

**10     STABILITY AND REACTIVITY**

Conditions to Avoid:     N/A  
Materials to Avoid:       Strong acids, strong alkalis, strong oxidizers and other aggressive liquids.  
Hazardous Decomposition  
Products:                 N/A

**11     TOXICOLOGICAL INFORMATION**

Inhalation:               N/A  
Skin:                      No evidence if irritant from normal handling.  
Eyes:                      May cause irritation to eyes.  
Ingestion:                May be harmful if swallowed.  
Exposure:                Prolonged or repeated exposure to the fill material may cause skin irritation.

**12     ECOLOGICAL INFORMATION**

Environmental Hazards:    None specified.

**13     DISPOSAL CONSIDERATIONS**

Disposal Methods:        Dispose with normal solid waste or in accordance with local or national legislation.

**14     TRANSPORT INFORMATION**

Road:                      N/A  
UN No:                     N/A  
Hazard Class (ADR):     Not considered hazardous for any type of transportation.  
ADR Pack GR:            N/A  
Rail:                        N/A  
Proper Shipping Name:    N/A  
Sea:                        N/A  
UN Sea:                    N/A  
Air:                         N/A  
UN Air                      N/A  
ICAO Class:                N/A

**15     REGULATORY INFORMATION**

Label for Supply:        Not considered as hazardous to users.  
Risk Phrases:            N/A  
Safety Phrases:         N/A  
Statutory Instruments:    N/A

**16     OTHER INFORMATION**

The disposal and personal protection procedures and requirements must be in accordance with the absorbed material.



Jangro Limited  
James House  
Worsley Road  
Farnworth  
Bolton  
BL4 9NL

Tel. 0845 458 5223



## ABSORBENT ROLLS – GENERAL PURPOSE

### Description

Tough absorbent rolls which have been strengthened using a dimpling process. Comes in disposable dispenser box. Ideal for the protection of aisles and walkways around machinery, catching overspray and preventing transfer of workshop soiling to offices.

### Features and Benefits

- Very absorbent and strong
- Easy to use
- Available in sizes 38cm x 24m or 38cm x 46m.
- Two types available; General purpose or Oil only

### How to Use

These rolls will absorb both oil and water, and water based liquids. Suitable for most industrial applications.

### Typical Product Data

Physical Form:	Melt brown polypropylene fibre.
Colour:	Grey
Odour:	None
Use:	For absorbing fluids.
Ph:	N/A
Relative Density:	N/A
Flammability:	Non Flammable
Vapour Pressure:	N/A
Solubility:	Insoluble in water
Oxidising Properties:	None

### Packaging

BX215 = size 38cm x 24m

BX217 = size 38cm x 46m